

Non OGAA Permit Template v 4.5

Telephone: (250)794-5200

Facsimile: (250) 794-5379

24 Hour: (250) 794-5200

October 1, 2021

Coastal GasLink Pipeline Ltd. 450 - 1st Street SW Calgary, AB T2P 5H1

Attention: Coastal GasLink Pipeline Ltd.

RE: Determination of Application Number 100114170

Permit Holder: Coastal GasLink Pipeline Ltd.

Date of Issuance: October 1, 2021 **Effective Date:** October 1, 2021

Application Submission Date: August 24, 2021 Application Determination Number: 100114170 Approved Disturbance Footprint: 0.0 ha

ACTIVITIES APPROVED

Short Term Water Use No.: 0006030	Point of Diversion No.: 001

AUTHORIZATIONS

Water Sustainability Act

 The Commission, pursuant to section 10 of the Water Sustainability Act, hereby authorizes the diversion, storage and use of Crown water from the point(s) of diversion detailed in the Short Term Water Use Details table below.

CONDITIONS

Notification

2. The Permit Holder must notify the First Nation(s) copied on this permit/authorization at least 5 (five) working days prior to project commencement.

Clearing/Forest Act

3. The permit holder is permitted to fell any trees located on Crown land within 1.5 tree lengths of the activity area that are considered to be a safety hazard according to Workers Compensation Act regulations and must be felled in order to eliminate the hazard. Trees or portions of these trees that can be accessed from the activity area without causing damage to standing timber may be harvested.

Page 1 of 3

Permit Holder: Coastal GasLink Pipeline Ltd.

Application Determination Number: 100114170

Application Submission Date: August 24, 2021

Date Issued: October 1, 2021

ACTIVITY SPECIFIC DETAILS, PERMISSIONS AND CONDITIONS

SHORT TERM WATER USE

Short Term Water Use Number - 0006030

Approval Period - From: October 1, 2021, To: September 30, 2023

ACTIVITY DETAILS

Point of Diversion No.: 001 Water Source Name: Ormond Creek (POD24)

Type: Stream/River

Purpose: Oil and Gas, Industrial & Storage

Location (UTM): Zone 10, Northing 5998062.92, Easting 384247.51

Maximum Withdrawal Rate (m³/s): 0.014 Daily Withdrawal Volume (m³/day): 199 Total Withdrawal Volume (m³): 10,672

All authorizations for this activity are subject to the following conditions:

Short Term Water Use Conditions

- 4. No instream works are permitted under this authorization.
- 5. A copy of this authorization must be available for inspection at the point of diversion and use location(s).
- Water withdrawn under this authorization must only be used for the purposes of carrying out the oil and gas activities or related activities.
- 7. Water must not be diverted or withdrawn from any beaver pond.
- 8. Water withdrawal must not occur where:
 - a. stream discharge is less than 55 L/s;
 - b. the diversion will cause the stream discharge to fall below 55 L/s;
 - c. stream (wetted) depth is less than 0.30 metres (12 inches) at the withdrawal location; or
 - the diversion will cause the stream (wetted) depth to fall below 0.30 metres (12 inches) at the withdrawal location.
- 9. End-of-pipe intakes must be screened with maximum mesh sizes in accordance with the Fisheries and Oceans Canada 'Interim Code of Practice: End-of-pipe fish protection screens for small water intakes in freshwater'.
- 10. The permit holder must maintain accurate records of all water withdrawal activities throughout the term authorized. Water withdrawal records for each diversion point, including '0' values for months where no water was withdrawn, must be recorded monthly. Water withdrawal records must be submitted to the Commission on a quarterly basis via eSubmission. Quarterly reports are due on or before April 25, July 25, October 25 and January 25.
- 11. At any time, the Commission may suspend short term water use previously authorized. Water use suspensions will remain in place until such time as the Commission notifies permit holders that water withdrawals may resume.

ADVISORY GUIDANCE

- Diversion Map t8282_OGC_WP3_CS5_S10_5K_POD24.pdf is for the permit holder's internal reference only and was not reviewed as a decision tool for this permit, nor does it form an integral part of this permit.
- 2. Unless a condition or its context suggests otherwise, terms used in this approval have the same meaning as the Environmental Protection and Management Regulation under the *Oil and Gas Activities Act*.

Permit Adjudication Page 2 of 3 Telep Physical Address: 6534 Airport Road Fort St John, BC Mailing Address: Bag 2 Fort St. John, BC V1J 2B0 24

Telephone: (250)794-5200 Facsimile: (250) 794-5379 24 Hour: (250) 794-5200 Permit Holder: Coastal GasLink Pipeline Ltd. Application Submission Date: August 24, 2021
Application Determination Number: 100114170 Date Issued: October 1, 2021

All pages included in this permit and any attached documents form an integral part of this permit.

Rebeccah Bromba

Authorized Signatory Commission Delegated Decision Maker

Copied to:

First Nations - Nadleh Whut'en First Nation, Stellat'en First Nation

Permit Adjudication Physical Address: 6534 Airport Road Fort St John, BC Mailing Address: Bag 2 Fort St. John, BC V1J 2B0 Page 3 of 3 Telephone: (250)794-5200 Facsimile: (250) 794-5379 24 Hour: (250) 794-5200