

September 1, 2026

Prince Rupert Gas Transmission Ltd.
1600, 925 West Georgia Street
VANCOUVER, BC V6C 3L2

Attention: Prince Rupert Gas Transmission Ltd.

RE: Determination of Application Number 100121763

Permit holder: Prince Rupert Gas Transmission Ltd.
Date of Issuance: September 1, 2026
Effective Date: September 1, 2026
Application Submission Date: January 20, 2026
Application Determination Number: 100121763
Approved Disturbance (Hectares): 1.107

Activities Approved

Associated Activity No.: 00264880, 00264881	Type: Staging Area
Changes In and About a Stream: 0010645	

General, Authorizations and Conditions

Authorizations

Land Act

1. The BC Energy Regulator, pursuant to section 39 of the *Land Act* hereby authorizes the occupation and use of Crown land to construct, operate, and maintain the related activity(s) defined in the *Energy Resource Activities Act* (ERAA) as detailed in the Activities Approved table above, subject to the conditions herein,.
2. The authorizations granted under this permit are limited to the area identified in the spatial data submitted to the BC Energy Regulator in the permit application as identified and dated above; herein after referred to as the 'activity area'.
 - a. A licence authorized under section 39 of the *Land Act* for the Crown land portion of this application will follow. The permit holder is subject to the conditions contained in the Licence.
 - b. The authorization to occupy and use Crown land under the Licence expires two years from the date of issuance, unless the BC Energy Regulator has received notice of construction start, or this permit is otherwise extended, suspended, cancelled, surrendered or declared spent.
 - c. The authorization to occupy and use Crown land does not entitle the permit holder to exclusive possession of the activity area.
 - d. The total disturbance within the activity area must not exceed the total approved disturbance footprint as referenced above.

Authorizations

Forest Act

3. The BC Energy Regulator, pursuant to section 47.4 of the *Forest Act*, hereby authorizes the removal of Crown timber from the activity area under the cutting permits associated with the Master Licence(s) as follows:

Master Licence to Cut No.: M02681
Cutting Permit No.: 009
Timber Mark No.: MTE285
Total Area (Hectares): 1.1
Forest District: (DKM) Coast Mountains Natural Resource District
Region: Interior
4. The term of the cutting permits is four years. The cutting permits are deemed spent upon submission of the post-construction plan or the cancellation or expiry of activities authorized under the permit.

Water Sustainability Act

5. The BC Energy Regulator, pursuant to section 11 of the *Water Sustainability Act*, authorizes the Changes In and About a stream, as detailed in the Activities Approved table above, within the activity area for construction and maintenance activities, unless otherwise restricted by this authorization:
 - a. Instream works must be carried out in accordance with the methods and any mitigations, as specified in the application.

Conditions

Notification

6. A notice of construction start must be submitted, as per the relevant BC Energy Regulator process at the time of submission, at least 48 hours prior to the commencement of activities under this permit.
7. Within 60 days of the completion of construction activities under this permit, the permit holder must submit to the BC Energy Regulator a post-construction plan as a shapefile and PDF plan accurately identifying the location of the total area actually disturbed under this permit. The shapefile and plan must be submitted via eSubmission.
8. The Permit Holder must notify the First Nation(s) copied on this permit/authorization at least 5 (five) working days prior to project commencement.

Environmental

9. Construction activities must not result in rutting, compaction or erosion of soils that cannot be reasonably rehabilitated to similar levels of soil productivity that existed on the activity area prior to the construction activities taking place.
10. Any temporary access must be constructed and maintained in a manner that provides for proper surface drainage, prevents pooling on the surface, and maintains slope integrity.
11. The permit holder must make reasonable efforts to prevent establishment of invasive plants on the activity area resulting from the carrying out of activities authorized under this permit.
12. Following completion of construction associated with the associated activities set out in the authorized Activities table above, the permit holder must, as soon as practicable
 - a. decompact any soils compacted by the activity;
 - b. if natural surface drainage pattern was altered by the carrying out of the activity, the permit holder must restore, to the extent practicable, to the drainage pattern and its condition before the alteration;
 - c. re-vegetate any exposed soil on the activity area including, where necessary, using seed or vegetative propagules of an ecologically suitable species that:

- i. promote the restoration of the wildlife habitat that existed on the area before the energy resource activity was begun, and
 - ii. stabilize the soil if it is highly susceptible to erosion.
- d. any retrievable surface soils removed from the activity area must be redistributed so that the soil structure is restored, to the extent practicable, to its condition before the activity was begun.

Clearing/Forest Act

- 13. The permit holder is permitted to fell any trees located on Crown land within 1.5 tree lengths of the activity area that are considered to be a safety hazard according to Workers Compensation Act regulations and must be felled in order to eliminate the hazard. Trees or portions of these trees that can be accessed from the activity area without causing damage to standing timber may be harvested.
- 14. Stumpage for cutting permits shall be determined in strict accordance with the Coast or Interior Appraisal Manuals, as amended from time to time. Permit holders are required to comply with all provisions set out in these manuals.

Water Course Crossings and Works

- 15. Stream, lake and wetland crossings must be constructed in accordance with the methods and any mitigations, as specified in the application.
- 16. Construction or maintenance activities within a fish bearing stream or wetland must occur:
 - a. during the applicable reduced risk work windows as specified in the Skeena Region - Reduced Risk Window;
 - b. in accordance with alternative timing and associated mitigation recommended in a plan prepared by a qualified professional and accepted by the BC Energy Regulator; or
 - c. in accordance with an authorization or letter of advice from Fisheries and Oceans Canada that is provided to the BC Energy Regulator;

If activities are to occur in accordance with b or c above, the documentation must be submitted to the BC Energy Regulator at postpermitrequests@bc-er.ca prior to commencement of activities.

- 17. At any time, the BC Energy Regulator may suspend instream works authorized under this permit. Suspensions on instream works will remain in place until such time as the BC Energy Regulator notifies permit holders that works may resume. Reasons for suspension of works may include, but are not limited to, drought conditions and increased environmental or public safety risks.
- 18. Equipment used for activities under this Permit must not be situated in a stream channel unless it is dry or frozen to the bottom at the time of the activity.

Water Course Crossings and Works Mechanical

- 19. Mechanical stream crossings must be constructed, maintained and deactivated according to the following requirements, as applicable:
 - a. To facilitate construction of a crossing, a machine is permitted to ford the stream a maximum of one time in each direction at the crossing location.
 - b. Only bridges, culverts, ice bridges or snow fills may be constructed at stream crossings;
 - c. The permit holder must ensure that permanent bridges are designed and fabricated in compliance with:
 - i. the Canadian Standards Association Canadian Bridge Design Code, CAN/CSA-S6; and
 - ii. soil property standards, as they apply to bridge piers and abutments; set out in the Canadian Foundation of Engineering Manual.
 - d. Except with leave of the BC Energy Regulator, the permit holder must ensure that
 - i. culverts are designed and fabricated in compliance with the applicable:

- a. Canadian Standards Association CSA G401, Corrugated Steel Pipe Products; or
- b. Canadian Standards Association Standard CSA B1800, Section B182.8, Plastic Non-pressure Pipe Compendium; or
- ii. any pipe installed in lieu of a culvert is of at least equivalent standard and strength as any culvert as specified above.
- e. Except with leave of the BC Energy Regulator, the permit holder must ensure that bridges or culverts meet the criteria set out in i., ii. or iii. below:
 - i. the bridge or culvert is designed to pass the highest peak flow of the stream that can reasonably be expected within the return periods set out in Column 2 of the table below for the period the permit holder anticipates the structure will remain on site, as set out in Column 1 of the table below:

Anticipated period crossing structure will remain on site	Peak flow period
Bridge or culvert, 3 years or less	10 years
Bridge other than a bridge within a community watershed, more than 3 years but less than 15	50 years
Bridge within a community watershed, more than 3 years	100 years
Bridge, 15 years or more	100 years
Culvert, more than 3 years	100 years

- ii. the bridge, or any component of the bridge:
 - a. is designed to pass expected flows during the period the bridge is anticipated to remain on the site;
 - b. is constructed, installed and used only in a period of low flow; and
 - c. is removed before any period of high flow begins.
- iii. the culvert;
 - a. is a temporary installation, and the permit holder does not expect to subsequently install a replacement culvert at that location;
 - b. is not installed in a stream, when the stream contains fish;
 - c. is sufficient to pass flows that occur during the period the culvert remains on the site;
 - d. is installed during a period of low flow; and
 - e. is removed before any period of high flow begins.
- f. Snow fills must consist of clean snow and may only be located on streams that are dry or frozen to the bottom during the period of construction, maintenance and use. Where periodic thaws are anticipated, the permit holder must ensure measures are in place that allows meltwater to pass through, ensure movement of fish is not impeded, and prevent pooling on the upstream side of the snow fill. Snow fill and any installed culverts must be removed prior to spring snow melt;
- g. Ice bridges on fish bearing streams may only be constructed where sufficient water depth and stream flows prevent the bridge structure from coming in contact with the stream bottom;
- h. Water applied to construct an ice bridge on a water body must be sourced in accordance with the *Water Sustainability Act* unless
 - i. the water body is a stream with a stream channel width of at least 5 meters and is not designated as a sensitive stream under the *Fish Protection Act*, or has a riparian class of W1, W3, or L1;
 - ii. the water is sourced from the same water body proximal to the location on which the ice bridge is constructed;
 - iii. the water body is not within the boundaries of a public park;

- iv. pump intakes must not disturb beds of fish bearing streams, lakes or wetlands except as necessary to ensure safe installation and operation of equipment, and must be screened with maximum mesh sizes and approach velocities in accordance with the Fisheries and Oceans Canada 'Interim code of practice: End-of-pipe fish protection screens for small water intakes in freshwater', and
 - a. where the water body is a stream, the flow of water in the stream at the time and location of pumping exceeds 60 litres per second and the instantaneous pumping rate does not exceed 1% of the water flowing in the water body at the time and location the pumping occurs, or
 - b. where the water body is a lake or pond, the cumulative volume of water withdrawn does not exceed 10 cm of lake or pond depth, calculated as the product of lake or pond surface area x 10 cm;
- v. records of water withdrawal and corresponding streamflow measurements are maintained by the permit holder and provided to the BC Energy Regulator upon request.
- i. Bridge or culvert abutments, footings and associated scour protection must be located outside the natural stream channel and must not constrict the channel width.
- j. Wetland crossings must be constructed, maintained and removed in accordance with the following:
 - i. organic cover within and adjacent to the wetland must be retained;
 - ii. minimize erosion or release of sediment within the wetland;
 - iii. any padding materials must be placed on the wetland surface only and must not be used for infilling;
 - iv. any padding materials must be removed as soon as practicable following construction, considering weather and ground conditions; and
 - v. the wetland, including banks and bed, must be restored, to the extent practicable, to the condition that existed before the crossing was initiated.

Archaeology

- 20. If an artifact, feature, material or thing protected under the *Heritage Conservation Act* is identified within the activity area, the permit holder must, unless the permit holder holds a permit under Section 12.4 of the *Heritage Conservation Act* issued by the BC Energy Regulator in respect of that artifact, feature, material or thing:
 - a. Immediately cease all work in the vicinity of the artifacts, features, materials or things;
 - b. Immediately notify the BC Energy Regulator; and
 - c. Resume work in the vicinity of the artifacts, features, materials or things in accordance with direction from the BC Energy Regulator.
- 21. Prior to the commencement of construction activities the permit holder must:
 - a. Complete an archaeological assessment of the activity area in accordance with applicable requirements of the *Heritage Conservation Act*, and
 - b. Complete and submit to the BC Energy Regulator an acceptable report on the results of the assessment.
- 22. If the report required under the condition above recommends any further assessment work on an area, the permit holder must not begin construction activities on that area until the further assessment is completed.

Activity Specific Details, Permissions and Conditions

Associated Activities

Activity Details

AACT Number: 00264880	AACT Type: Staging Area
AACT Number: 00264881	AACT Type: Staging Area

Advisory Guidance

1. Construction Plan - 02282-MCE-G-MP-0423_01_Welda_Creek_and_Nasoga_Gulf_MOF_Sketch.pdf is for the permit holder's internal reference only and was not reviewed as a decision tool for this permit, nor does it form an integral part of this permit.
2. Instructions for submitting notice of construction start, as required by regulation, can be found in the Energy Resource Activity Operations Manual on the BC Energy Regulator's website.
3. Unless a condition or its context suggests otherwise, terms used in this approval have the same meaning as the Environmental Protection and Management Regulation under the *Energy Resource Activities Act*.
4. Appropriate tenure may be issued upon acceptance of the post-construction plan. Submission of the original application and submission of the post-construction plan is considered an application for all subsequent applicable *Land Act* tenures. Upon the BC Energy Regulator's acceptance of the post-construction plan no further applications for replacement tenure are required.

All pages included in this permit and any attached documents form an integral part of this permit.



Corey Scofield
Authorized Signatory
BC Energy Regulator Delegated Decision Maker

Copied to:

Land Agent – AiM Land Services Ltd.
First Nations – Kitselas First Nation (Harvesting Area), Kitsumkalum First Nation, Lax-Kw'alaams Band, Metlakatla First Nation, Nisga'a Lisims Government (Nass/Nass Wildlife Area)
Ministry of Forests District Office - (DKM) Coast Mountains Natural Resource District