



Province of
British Columbia

Ministry of
Energy, Mines and
Petroleum Resources

Parliament Buildings
Victoria
British Columbia
V8V 1X4

Ref. No. 84718

1984 08 03

Bcc:

P. K. Huss ✓
W. L. Ingram

Monsanto Oils Ltd.
800 Pattison Square
550 - 11th Avenue, S.W.
Calgary, Alberta
T2R 1M7

Attention: Mr. Gordon W. Marsden

Dear Sir:

Re: Application for Good Engineering Practice
Section 6 and 7-85-17 W6
Cecil Lake - North Pine 'A' Pool

*Monsanto Project (9)
GEP*

This acknowledges receipt of your application dated 1984 07 16 requesting Good Engineering Practice approval for gas production from Section 6 and 7-85-17 W6 of the Cecil Lake - North Pine 'A' pool.

A concurrent production scheme with oil and gas allowables is already in operation in the unitized portion of the subject pool. In view of this we wish to advise that your application for GEP is approved subject to the following conditions:

1. The area of Good Engineering Practice consists of Sections 6 and 7-85-17 W6.
2. The gas allowable for the area, based on volumetric reserves in the area of approval, is $13.5 \times 10^3 \text{ m}^3/\text{d}$.
3. This approval may be modified at a later date if deemed appropriate through a change in circumstance.

Yours truly,

PETROLEUM RESOURCES DIVISION

A. G. T. Weaver
A. G. T. Weaver
Director, Engineering & Operations

PSA:him

cc: D. L. Johnson